

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107167	(3-D OR 3D OR "THREE DIMENSIONAL")	US-PGPUB	OR	OFF	2005/10/24 13:26
L2	229	compar\$3 near20 ((depth "zvalue" "z value" "z-value") same (predetermined stored))	US-PGPUB	OR	OFF	2005/10/24 13:28
L3	17	2 same (fragment segment pratial block)	US-PGPUB	OR	OFF	2005/10/24 13:28
L4	20	2 same (fragment segment partial block)	US-PGPUB	OR	OFF	2005/10/24 13:28
L5	120	1 and 2	US-PGPUB	OR	OFF	2005/10/24 13:29
L6	12	4 and 5	US-PGPUB	OR	OFF	2005/10/24 13:29

*Interference searched*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4592	(3-D OR 3D OR "THREE DIMENSIONAL") same (space and depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:23
L2	1128	compar\$3 near20 ((depth "zvalue" "z-value" "z value") same (predetermined stored))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:39
L3	50	2 same (fragment\$1 segment\$1 partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:35
L4	111	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:44
L5	7	2 same ("first object" "second object")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
L6	3	4 and (log2\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:48
L7	0	4 and ((log2\$10 near10 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:49
L8	702606	((log2(n+1)-bit) (log2(k+1)-bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:51
L9	429	2 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:50

L10	38	3 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:50
L11	11583	("first object" same "second object")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
L12	111	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
L13	7	11 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:37
L14	7	(compar\$3 near20 ((depth "zvalue" "z-value" "z value") same (predetermined stored))) same ("first object")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:39
L15	5	(compar\$3 near20 ((depth "zvalue" "z-value" "z value") same (predetermined stored))) same ("second object")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:39
L16	5	14 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:05
L17	2	"6456285".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:05